



FIG. 1



HPLC CHROMATOGRAM OF Tc-99m-PEPTIDE 4


FIG. 2



HPLC CHROMATOGRAM OF Tc-99m-PEPTIDE 6

10/528771


FIG. 3



DISTRIBUTION OF Tc-99m-PEPTIDE IN RABBIT BLOOD

FIG. 4

2 HRS. AFTER  
ADMINISTRATION



22 HRS. AFTER  
ADMINISTRATION





IMAGE OF Tc-99m-PEPTIDE 3 IN MODEL RABBIT WITH INFECTIOUS DISEASE

FIG. 5

2 HRS. AFTER  
ADMINISTRATION



22 HRS. AFTER  
ADMINISTRATION



IMAGE OF Tc-99m-PEPTIDE 4 IN MODEL RABBIT WITH INFECTIOUS DISEASE

FIG. 6

2 HRS. AFTER  
ADMINISTRATION



22 HRS. AFTER  
ADMINISTRATION



IMAGE OF Tc-99m-PEPTIDE 6 IN MODEL RABBIT WITH INFECTIOUS DISEASE

FIG. 7

2 HRS. AFTER  
ADMINISTRATION



5 HRS. AFTER  
ADMINISTRATION



IMAGE OF Tc-99m-PEPTIDE 8 IN MODEL RABBIT WITH INFECTIOUS DISEASE

5/21

FIG. 8

2 HRS. AFTER  
ADMINISTRATION



5 HRS. AFTER  
ADMINISTRATION



IMAGE OF Tc-99m-PEPTIDE 9 IN MODEL RABBIT WITH INFECTIOUS DISEASE

FIG. 9

2 HRS. AFTER  
ADMINISTRATION



22 HRS. AFTER  
ADMINISTRATION



IMAGE OF Tc-99m-PEPTIDE 12 IN MODEL RABBIT WITH INFECTIOUS DISEASE

FIG. 10




IMAGE OF Tc-99m-PEPTIDE 13 IN MODEL RABBIT WITH INFECTIOUS DISEASE

FIG. 11



IMAGE OF Tc-99m-PEPTIDE 14 IN MODEL RABBIT WITH INFECTIOUS DISEASE

FIG. 12



IMAGE OF Tc-99m-PEPTIDE 15 IN MODEL RABBIT WITH INFECTIOUS DISEASE



FIG. 13




IMAGE OF Tc-99m-PEPTIDE 16 IN MODEL RABBIT WITH INFECTIOUS DISEASE

FIG. 14



IMAGE OF Tc-99m-PEPTIDE 17 IN MODEL RABBIT WITH INFECTIOUS DISEASE


10/528774

FIG. 15




IMAGE OF Tc-99m-PEPTIDE 18 IN MODEL RABBIT WITH INFECTIOUS DISEASE

FIG. 16



TIME COURSE CHANGE OF URINARY EXCRETION OF Tc-99m-PEPTIDES IN NORMAL RATS

FIG. 17



TIME COURSE CHANGE OF ACCUMULATION OF Tc-99m-PEPTIDES IN SMALL INTESTINE ON NORMAL RATS

FIG. 18




FIG. 19




FIG. 20



IMAGE OF Tc-99m LABELED PEPTIDE 3 IN MODEL RAT WITH COLITIS

FIG. 21



IMAGE OF Tc-99m LABELED PEPTIDE 6 IN MODEL RAT WITH COLITIS

FIG. 22





IMAGE OF Tc-99m LABELED LEUKOCYTES IN MODEL RAT WITH COLITIS

40/52877 1


FIG. 23



INFLAMMATION/ORGAN RATIO OF Tc99m LABELED PEPTIDE IN MODEL RAT WITH COLITIS




FIG. 24




IMAGES OF PEPTIDE 6 ON AUTORADIOGRAPHY AND IMMUNO-STAINING OF RAT WITH COLITIS

FIG. 25




IMAGES OF PEPTIDE 14 ON AUTORADIOGRAPHY AND IMMUNO-STAINING OF RAT WITH COLITIS

FIG. 26



IMAGES OF Tc-99m LABELED LEUKOCYTES ON AUTORADIOGRAPHY AND IMMUNO-STAINING OF RAT WITH COLITIS


FIG. 27



INFLAMMATION/NORMAL TISSUE RATIO OF AUTORADIOGRAPHY OF RAT WITH COLITIS USING Tc-99m LABELED PEPTIDE AND Tc-99m LABELED LEUKOCYTES

19/21

FIG. 28



INHIBITION RATE OF PEPTIDES FOR BINDING BETWEEN RECOMBINANT HUMAN RECEPTOR AND [3H]-FMLP

FIG. 29

2 HRS. AFTER  
ADMINISTRATION



5 HRS. AFTER  
ADMINISTRATION



IMAGE OF Tc-99m-PEPTIDE 6 IN MODEL RABBIT WITH INFECTIOUS  
DISEASE WITHOUT INHIBITOR OF FMLP

FIG. 30




IMAGE OF Tc-99m-PEPTIDE 6 IN MODEL RABBIT WITH INFECTIOUS DISEASE WITH INHIBITION OF FMLP